


**Industrial  
FloorTiles**

COMMERICAL & INDUSTRIAL

# MotoMat Interlocking Floor Tile

## SAFETY DATA SHEET

Unit 15 The I.O Centre, Stephenson Road, Segensworth, Fareham, Hampshire, PO15 5RU  
Web: [www.industrial-floor-tiles.co.uk](http://www.industrial-floor-tiles.co.uk) | Tel: 01329 623115 | email: [sales@industrial-floor-tiles.co.uk](mailto:sales@industrial-floor-tiles.co.uk)



## MotoMat Interlocking Floor Tile - Safety Data Sheet

### 1. Identification of the substance / preparation and of the company / undertaking

Trade name	MotoMat
Use	Industrial
Company identification	Stormflame Ltd. T/A Industrial-floor-tiles.co.uk, Unit 15, The IO Centre, Stephenson Road, Segensworth, Fareham, Hampshire, PO15 5RU <a href="mailto:sales@industrial-floor-tiles.co.uk">sales@industrial-floor-tiles.co.uk</a>
Emergency phone number	01329 623115

### 2. Hazards identification

Hazards identification	Not expected to present a significant hazard under anticipated conditions of normal use. Thermal decomposition generates Hydrochloric acid fumes.
Symptoms relating to use	
- Inhalation	Under fire conditions, hazardous fumes will be present.
- Skin contact	Skin contact with hot/molten material may cause skin irritation, redness and in extreme cases, blistering.


### 3. Composition / information on ingredients

Components	This product contains no hazardous components.
------------	--

Substance name	Contents	CAS No	EC No	Index No	Classification
PVC polyvinyl chloride	> 95 %	9002-86-2	---	---	

### 4. First aid measures

General information	If you feel unwell, seek medical advice (show the document where possible). Never give anything by mouth to an unconscious person.
First aid measures	
- Inhalation	Remove victim to fresh air. Assure fresh air breathing. Allow the victim to rest.
- Skin contact	In case of irritation, wash the skin with water.
- Eye contact	Rinse with water.
- Ingestion	Do not induce vomiting. Rinse mouth with water (only if the person is conscious).
Note to physician	Treat symptomatically.



## MotoMat Interlocking Floor Tile - Safety Data Sheet

### 5. Fire-fighting measures

<b>Extinguishing media</b>	Water spray. Foam. Dry powder. Carbon dioxide. Sand. Do not use a heavy water stream.
<b>Surrounding fires</b>	Use water spray or fog for cooling exposed containers.
<b>Protection against fire</b>	Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire.
<b>Special procedures</b>	Avoid (reject) fire-fighting water to enter environment.

### 6. Accidental release measures

<b>Personal precautions</b>	Avoid contact with skin and eyes. Equip cleanup crew with proper protection.
<b>Environmental precautions</b>	Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
<b>Clean up methods</b>	On land, sweep or shovel into suitable containers. Take care while working with the hot material.

### 7. Handling and storage

<b>Personal precautions</b>	Wear recommended personal protective equipment.
<b>Technical protective measures</b>	Ensure adequate ventilation, especially in confined areas.
<b>Storage</b>	Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
<b>Storage - away from</b>	Strong bases. Strong acids. Heat sources. Sources of ignition. Direct sunlight.
<b>Handling</b>	When using, do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

### 8. Exposure controls / personal protection

#### Personal protection



EYE PROTECTION



HAND PROTECTION




DUST MASK

Avoid all unnecessary exposure.

#### - Respiratory protection

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of fire, wear respiratory protective equipment independent of surrounding air and chemical protective suit.



## MotoMat Interlocking Floor Tile - Safety Data Sheet

### 8. Exposure controls / personal protection continued

- Hand protection	Gloves
- Eye protection	Chemical goggles or safety glasses.
- Ingestion	When using, do not eat, drink or smoke.
Technical protective measures	Provide local exhaust or general room ventilation to minimize exposure to dust.
Occupational Exposure Limits	Copper : TLV -TWA [mg/m <sup>3</sup> ] : 0.2 Fumes. Copper : TLV -TWA [mg/m <sup>3</sup> ] : 1 Dust or mist. Copper : OEL (UK)-LTEL [mg/m <sup>3</sup> ] : 0.2 Fumes. Copper : OEL (UK)-LTEL [mg/m <sup>3</sup> ] : 1 Dust or mist. Copper : VLA-ED [mg/m <sup>3</sup> ] : 0.2 Fumes. Copper : VLA-ED [mg/m <sup>3</sup> ] : 1 Powder.

### 9. Physical and chemical properties

Physical state at 20 °C	Solid.
Colour	Colour mixture.
Odour	Odourless.
Density	1.3-1.45
Solubility in water	Insoluble.
Stability and reactivity	Stable under recommended storage conditions.
Hazardous decomposition products	When heated to decomposition, emits dangerous fumes. Hydrochloric acid fumes. Carbon monoxide. Carbon dioxide.

### 10. Stability and reactivity

Conditions to avoid	Overheating. Contact with : Open flame. Strong acids, bases. Oxidizing agent.
---------------------	---

### 11. Toxicological information

Acute toxicity	No known toxicological effects from this product.
----------------	---


### 12. Ecological information

Ecological effects information	Ecological damage caused by this product is not known.
Persistence - degradability	Minimally biodegradable.

### 13. Disposal considerations

General	Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Contaminated packaging	Packaging which cannot be decontaminated should be disposed of like the material.





**Industrial  
FloorTiles**  
COMMERICAL & INDUSTRIAL

Unit 15 The IO Centre, Stephenson Road,  
Segensworth, Fareham, Hampshire, PO15 5RU  
Web: [www.industrial-floor-tiles.co.uk](http://www.industrial-floor-tiles.co.uk) | Tel: 01329 623115  
email: [sales@industrial-floor-tiles.co.uk](mailto:sales@industrial-floor-tiles.co.uk)



## MotoMat Interlocking Floor Tile - Safety Data Sheet

### 14. Transport information

**General information** Not classified. Product not considered dangerous good.

### 15. Regulatory information

**EU Labelling** Not classified as dangerous preparation/substance.

### 16. Other information

**Further information** None.

The contents and format of this SDS are in accordance with REACH Regulation (CE) N° 1907/2006 and the agreement of the United Nations ADR 2007 ECE/TRANS/185.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**End of document**